



Adjustable Wrench



Stock Code	Size	Bar Code	Package Type	Width cm	Height cm	List Price €
EP6AW	6"	5 391269 646326	Card	12	22	5.92
EP8AW	8"	5 391269 646333	Card	12	27	7.64
EP10AW	10"	5 391269 646340	Card	12	33	9.80
EP12AW	12"	5 391269 646357	Card	12	40	13.00




Water Pump Pliers



Stock Code	Size	Bar Code	Package Type	Width cm	Height cm	List Price €
EPWPP10	10"	5 391269 645954	Card	12	33	10.54
EPWPP12	12"	5 391269 645961	Card	12	40	12.08
EPWPP16	16"	5 391269 645978	Card	12	46.5	24.00



Adjustable Tap Wrench




Stock Code	Size	Package Type	Width cm	Height cm	List Price €
EPBW	1/2"	Card	12	35	11.00


How to use an Adjustable Tap Wrench

1. The Wrench head locks onto a nut with the sprung jaws, but will only grip as it is rotated in one direction as shown.
2. Access to the tap lock nuts from the underside of the hand basin or bath is

not always an easy task, but once the grip section of the Wrench is located around the nut, it is very easy with tommy bar to rotate the tool and tighten, (or loosen), the nut as required.



Stilson Wrench



Stock Code	Size	Bar Code	Package Type	Width cm	Height cm	List Price €
EPTSW12	12"	5 391269 645992	Card	15	35	11.36
EPTSW15	15"	5 391269 646005	Card	15	35	13.68
EPTSW18	18"	5 391269 646012	Card	15	45	17.10
EPTSW24	24"	5 391269 646029	Card	15	60	26.98




Compression Fitting Spanner



Stock Code	Size	Stock Code	Size
EP99BW	3/4" x 1/2"	EP100BW	1" x 3/4"
Package Type	Width cm	Height cm	List Price €
Card	12	45	13.00
Card	12	45	14.90



Claw Foot Spanner



Stock Code	Description	Package Type	Width cm	Height cm	List Price €
EP3412CFS	3/4" x 1/2" Claw Foot Spanner	Card	12	35	7.52





3/4" end for Bath Taps

1/2" end for Basin and Sink Taps




Looking up from underneath the hand basin or bath





Monobloc Tap Fixing Nut Dual Spanner





Stock Code	Description		
EPMONOB1	9mm x 11mm		
Package Type	Width cm	Height cm	List Price €
Card	12	25.5	9.80



Single thread and nut fixing

Double thread and nut fixing

Both taps are shown viewed from behind





Mono Tap Back Nut Spanners

Stock Code	Description		
EPMONOBX	Monotap Back Nut Box Spanner Set		
Package Type	Width cm	Height cm	List Price €
Card	12	25.5	16.50



Fits metric nut AF (across flats)

sizes:
9mm
11mm
12mm
13mm





Tap Back Nut Spanner

Stock Code	Description		
EP2732BOX	Tap Backnut Box Spanner (27 & 32mm")		
Package Type	Width cm	Height cm	List Price €
Card	12	25.5	13.50




Fits metric nut AF (across flats)

sizes:
27mm
32mm




Use a screwdriver or a tommy bar to rotate the spanner.




Stopcock Key

Stock Code	Description		
EPSCKEY	Water Key for Under Sink Stopcock		
Package Type	Width cm	Height cm	List Price €
Card	12	25.5	12.50



Use to easily turn the stopcock on and off





U.G. Stopcock Key


Stock Code	Description
EPWKEY14	Water Key for ¼ Turn U.G. Stopcock

Package Type	Width cm	Height cm	List Price €
Card	9	12	3.50



Plumbing Tools



The UG Stopcock Key can be used as linked sections for more difficult access situations.



Traditional U.G. Stopcock Key





Package Type	Stock Code
Card	WKEY
Height cm	List Price €
12	13.10
Width cm	
30	



Mini Tube Cutter

Stock Code	Description
EPPCUT1	3mm -16mm Tube Cutter



Package Type	Width cm	Height cm	List Price €
Card	9	12	5.74



Tube Cutter

Stock Code	Description
EPPCUT2	3mm - 28mm Tube Cutter



Package Type	Width cm	Height cm	List Price €
Card	12	25.5	8.50



"TubeSlice" Pipe Cutter

Stock Code	Size	Stock Code	Size
EP12KPS	½"	EP34KPS	¾"

Package Type	Width cm	Height cm	List Price €
Card	12	15.5	17.94



Tube Cutter Spare Blades

Stock Code	Description
EPPCUTB	Pack 3, Spare Blades for Tube Cutter

Package Type	Width cm	Height cm	List Price €
Card	9	12	3.20



Stock Code	Description
EPPSCW	Pack 3, Spare Tubeslice Cutter Wheels

Package Type	Width cm	Height cm	List Price €
Card	9	12	6.12



42mm PVC Pipe Cutter

Stock Code	Description
EPPEXCUT	Plastic Pipe Cutter

Package Type	Width cm	Height cm	List Price €
Card	12	29	13.90




- Push the jaw release button with the thumb.
- Place the pipe in the jaws, and repeatedly close the ratcheted handles until the required section is cut off.
- In cold weather conditions, it will be necessary to warm the pipes to be cut, as some plastic materials become brittle and will snap rather than cut.
- To maintain the tool efficiency, keep the mechanism and blade lightly oiled.

An exceptionally useful tool, this pipe-cutter can be used to cut PVC waste pipes, plastic water supply, gas pipe and aluminium cored plastic pipe of diameters up to 42mm.




Plumbing Tools





4 Way Utility Key

Stock Code	Description
EPMP4WAY	Utility 4 Way Key

Package Type	Width cm	Height cm	List Price €
Card	9	12	4.98





Note that all dimensions are approximate and will depend on the paint thickness.





Radiator Valve Key

Stock Code	Description
EPRVS	Radiator Valve Key

Package Type	Width cm	Height cm	List Price €
Card	12	15.5	5.50



Features





Tap Re-Seating Tool

Stock Code	Description
EPTRT	Universal size


Package Type	Width cm	Height cm	List Price €
Card	9	25.5	17.20



Use this tool to smooth out and repair the "seating" on your traditional style basin, sink or bath taps. Very often, the seating will have become damaged due to worn tap washers. Having used this tool as shown, it will also be necessary to replace the disintegrated tap washer.




Suitable for traditional style basin, sink and bath taps



Radiator Vent Keys Set


Stock Code	Description
EPRVKS	Vent Key Set

List Price € 3.30



Veha Vent Keys (Pack of 2)

Stock Code	Description
EPVVK	Pk/2 Veha Key
List Price €	3.20




Clock Type Vent Key

Stock Code	Description
EPBVK	Brass Clock Vent Key
List Price €	2.10



These 3 products are supplied on a 9mm x 12mm cards



Easy Drain Down Avoidance Kit


Stock Code	Description
EPDDK	Drain Down Avoidance Kit

Package Type	Width cm	Height cm	List Price €
Card	18	25.5	10.50



Removes Central Heating radiators without having to drain the system

The Kit plugs can be used in 1/2" (15mm) and 3/4" (22mm) pipe and fittings and are simply pushed firmly into the holes to close off the water or air movement.



Copper Tube Bending





Plumbing Tools

Stock Code	Description	List Price €	Stock Code	Description	List Price €
EP12IBS	1/2"	7.46	EP34IBS	3/4"	8.50



These are supplied on 6cm x 65cm cards



Hole Saw Set


Stock Code	Description
EPRKIT1	11 Piece Set 3/4" - 2 1/4"

Package Type	Width cm	Height cm	List Price €
Card	10.5	30	10.84



Stock Code	Description
EPRKIT2	16 Piece Set 3/4" - 5"

Package Type	Width cm	Height cm	List Price €
Card	15.5	33	18.40




16 Piece Hole Saw Set 3/4" - 5" (19mm - 127mm) Diameter

No.	Imp.	Metric
1	3/4"	19mm
2	7/8"	22mm
3	1"	25mm
4	1 1/4"	32mm
5	1 1/2"	38mm
6	1 3/4"	44mm
7	2"	51mm
8	2 1/2"	64mm
9	3"	76mm
10	3 1/2"	89mm
11	4"	102mm
12	5"	127mm

11 Piece Hole Saw Set 3/4" - 5" (19mm - 64mm) Diameter


No.	Imp.	Metric
1	3/4"	19mm
2	7/8"	22mm
3	1"	25mm
4	1 1/4"	32mm
5	1 1/2"	38mm
6	1 3/4"	44mm
7	2"	51mm
8	2 1/2"	64mm



Pex Pipe Clamp (Emergency Valve)


Stock Code	Description
EPPEXPC	Pex Pipe Clamp

Package Type	Width cm	Height cm	List Price €
Card	12	15.5	11.00



Loosen the bolts, open the jaws and pass one half of the clamp around the pipe. Re-assemble the clamp and tighten the bolts with the allen key until the pipe is flattened and the water flow is stopped. When emergency is resolved, reverse the procedure to resume water flow. It may be necessary to reshape the pipe after using this tool.

Used to isolate services on plastic pipes circuits and flexible hoses to avoid draining down.



Blanking Plugs

Stock Code	Description
EPBP12	Pair of 1/2" Blanking Plugs


Package Type	Width cm	Height cm	List Price €
Card	18	25.5	2.70




- Hand tightens
- Watertight
- Numerous uses
- Colour coded for hot & cold
- Prevents debris entering pipes
- Re-useable - again and again




A USEFUL "TWO-SOME" FOR EVERY PLUMBER'S TOOL BAG



Example 2 Plugging barrel tapping for later use



Example 1 Plugging shower entry points whilst plumbing, decorating or tiling.



Universal bending tool for soft copper tube. Suitable for 6, 8 and 10mm diameters. * Simple to use * Bends tube to any angle up to 180 degrees and without kinking

Mini Pipe Bender Bend dimensions ± 1mm


Stock Code	Description
EP3IN1	3 in 1 (6, 8, 10mm)

Package Type	Width cm	Height cm	List Price €
Card	25.5	37	27.50




Rad. Radius on pipe centre

10mm	= 43mm
8mm	= 46mm
6mm	= 48mm



* No dismantling or parts to lose * The three different and separate pipe channel sizes are all built into the tool.

A Compact Hand Bender with precision high pressure aluminium die cast formers and guides to produce sets, offsets and multiple bends in tubes of 1/2" and 3/4" diameter.



2 in 1 Pipe Bender

Features

- Bends and manipulates tube up to 180°
- Suitable for use with Stainless Steel tube
- Lightweight
- Durable Construction
- Easy to use
- Ergonomic Design
- Spare parts available



Stock
Code

Description

GLM

Pipe Bender

Package Type	Width cm	Height cm	List Price €
Box	76	16	99.50
5 391269 206858			

Plumbing Tools



Package
Type

Card

Width

cm

7.5


Height

cm

23

Spare Guides

Code	Size	Price €
12AGGLM	1/2"	21.50
5 391269 202096		
34AGGLM	3/4"	28.66
5 391269 202102		



Water Pressure Test Kit

Stock
Code

Description


EPWPTK

Water Pressure
Test Kit

Package Type	Width cm	Height cm	List Price €
Card	18	25.5	19.00
5 391269 692187			


Test the water pressure at any tap outlet quickly, safely and accurately.

Directions: The Lever Cam Connector is loosely adjusted with the knurled thumb wheel **A**, so that with the lever horizontal, it can be pushed over the end of the tap outlet. The lever **B**, is then pushed up which forces the tap outlet into rubber seal, **C**. As the cam has a flat section on the lower edge **D**, it sits firmly on the top of the tap outlet and stays in position. If the mixer outlet is larger or quicker, it is only necessary to rotate the thumb wheel **A**, to increase the distance between the cam edge and the rubber seal. Also note that the lever can be operated from two directions - **E**.



Measures water
pressure
up to 4 bar.

The heavy duty plastic construction ensures that where used on a mixer tap, the chrome finish is not damaged.



Easi Siphon

Stock
Code

Description


EPESK

Easi Siphon

Package Type	Width cm	Height cm	List Price €
Card	25.5	37	12.00


5 391269 758074

How it works. Shaking the tube when the foot valve is immersed caused the liquid to be drawn into the tube. A natural siphon is established. The ball within the valve acts a non return device ensuring that liquid cannot fall back. The siphon can be broken by removing and inverting the valve and tube. It will naturally be broken when the level of liquid in the recipient container reaches the level in the donor container.



Typical Applications:

The Easi Siphon is suitable for use with most liquids which have similar viscosity to water. It has a multiplicity of different potential applications, three of which are illustrated here.



Airlock Release Kit

Stock
Code


Description

EPALK

Air Lock Release Kit

Package Type	Width cm	Height cm	List Price €
Card	25.5	37	19.98

5 391269 744336



Cam Lock fitting instructions


The Cam Lock is loosely adjusted with the knurled thumb wheel **A**, so that with the lever horizontal, it can be pushed over the end of the tap outlet. The lever **B**, is then pushed up which forces the tap outlet into the rubber seal, **C**. As the cam has a flat section on the lower edge **D**, it sits firmly on the top of the tap outlet and stays in position. If the mixer or tap outlet is larger or thicker, it is only necessary to rotate the thumb wheel **A**, to increase the distance between the cam edge and the rubber seal. Also note that the lever can be operated from two directions - **E**.



High Neck
Pillar taps



Monobloc Basin
Mixer



Tower Style Basin
Mixer



Traditional Sink Mixer



Monobloc
Sink Mixer

The heavy duty
plastic
construction
ensures
that the chrome
finish of the taps is
not damaged