
Sewer Rod



Includes 8 Rods & 2 Tools









Plunger



Double Worm Screw



Builds up pressure of water which forces obstruction clear



Pierces blockages such as paper or rags and the obstruction is drawn back to clear the pipe.



Mini Sewer Rod Kit

Package

Type

Stock **Description** Code

EPTDRSUM Mini Drain Clearing Set c/w 8 Rods, 2 Tools

> Width Height List Price € cm cm

12.5 42.50 Header 110

5 | 3 9 1 2 6 9 | 7 0 9 1 5 1 |

Drain Clearing Equipment



Guides rods around difficult bends and removes minor blockages by pushing material clear.

Kit



Pierces blockages such as paper or rags and the obstruction is drawn back to clear the pipe.



Glides over small obstructions and drops into vertical scraping position to allow offending material to be dragged back towards the operator.



Builds up pressure of water which forces obstruction clear.



Drop Scraper



Plunger



Double Worm Screw



Clearing Wheel

Sewer Rod Kit

Stock Code	Description
EPTDRSH	Drain Clearing

rain Clearing Set c/w 10 Rods, 4 Tools

Package Width Height List Type Price € cm cm Box 12.5 110 68.26

5 3 9 1 2 6 9 1 6 4 6 0 7 4 1



Single Drain Clearing Rod

Stock Description Code EP1ROD

Single Drain Clearing Rod

Package Width Height List cm Price € Type cm 5 95 4.00



Drain Clearing Equipment

Sewer Rod Extension Kit Stock Description Code

EPTRODU Set of 5 Rods Only

Package Width Type cm 18.5 Header Height List Price € cm 103 19.50

5 | 3 9 1 2 6 9 | 6 4 6 0 8 1 |





Drop Scraper

Hanger

Stock Description Code EPTDS4 4" Sewer Rod Package Width Height List Type cm Price € cm Card 12 15.5 6.38



obstructions and drops into



Double Worm Screw

Stock Description Code

EPTDWS Sewer Rod Double Worm Screw

Package Width Height List Type cm cm Price € Card 12 15.5 7.68



vertical scraping position to allow offending material to be dragged back towards the operator.



Double Worm Screw: Pierces blockages such as paper or rags and the obstruction is drawn back to clear the pipe.



Plunger

Stock Description Code

EPTPL4 4" Sewer Rod Plunger

Package Width Height List Type cm cm Price € Card 12 15.5 5.76

Plunger: Builds up pressure of water which forces obstruction clear.



Clearing Wheel

Stock Description Code **EPTCW** Sewer Rod Clearing Wheel

Package Width Height List cm Price € Type cm

Card







Clearing Wheel: Guides rods around difficult bends and removes minor blockages by pushing material clear.



Stock Package Width Height List Description Type Code Price € cm EPPL4 32.5 5.00 4" Sink Plunger Hanger 11 9" Handle 5 3 9 1 2 6 9 6 4 5 8 8 6 H 6" Sink Plunger Hanger 15 EPPL6 55 5.74 19" Handle 5 | 3 9 1 2 6 9 | 6 4 5 8 9 3 |



Mini Bellows Sink **Plunger**

List Stock Price € Code **EPPLM** 4.40







Drain Clearing Wire

Stock Length Code


EP15DW 15ft (4.5m) Package Width Height List

Type cm Card 25.5 7.00

5 | 3 9 1 2 6 9 | 6 4 6 3 1 9 |

A simple but effective method of clearing drains. The top of the wire \$\) which features a "screw head" is introduced into the pipework via a cm Price € cleaning eye, trap or 25.5 7.00 waste outlet. When it reaches the blockage, it pierces it. The blockage can then be drawn back to the operator.

Drain Clearing Equipment





Drain Cleaning Tool

Stock Description Code

EP15CA 15ft Drain Cleaning Tool

Package Width Height List Type cm Price €

Card 25.5 37 14.50

5 | 3 9 1 2 6 9 | 6 4 6 3 0 2 |

Provides an easy way of removing "gunk"which collects in the waste outlets and traps of Basins, Baths, Sinks and Shower Trays.


Drain Stick

Stock **Description** Code

EPDS Drain Clearing Tool

Package Width Height List Type cm cm Price € 5 Card 50 4.00














Sink Plunger & Drain Wire

Stock Description Code

EPPL415DW Sink Plunger & Drain Wire Set

Package Width Height List Type cm Price € cm Box 40 11.50 12





Drain Bomb


Stock

Description Code **EPPUM** Suction Pump for Sink and Bath Drain Bomb

Width Height Package List Type Price € cm cm Box 12 40 12.00

5 | 3 9 1 2 6 9 | 6 4 6 1 5 9 |

Easy to use 2 way pump action. Includes attachments for clearing blockages in sinks, baths and toilets.





Drain Cleaner with Brush


Stock Description Package Width Height List Code Type cm cm Price €

EP3DC Drain Cleaner Card 16 25.5 7.00



Purpose designed to clean waste from kitchen sinks, was hand basins, etc.








Drain Sweep Stock Code

EPDSWEEP

Package Width Height List Type cm cm Price € Card 21 26.5 14.00

5 | 3 9 1 2 6 9 | 7 7 5 0 9 5 |





Instructions

Remove any traps or elbows. Uncoil and attach to drill chuck. Leave 1/8th" (3mm) of connector exposed. Feed the corkscrew head into the drain until blockage is reached. Power the drill at low speed until blockage has been cleared. Remove snake and air dry and all before the corkscrew.

oil before storing.



Drill Snake Drain Clearer

Stock Description


EP25DS Drill Snake

Drain Clearer

Package Width Height List
Type cm cm Price €
Card 30 40 15.50

5 | 3 9 1 2 6 9 | 7 7 5 0 8 8 |








Cranked Drain Cleaner

Stock Description
Code
EP10RGA Rotary
Geared
Auger

Package Width Height List Type cm cm Price € Box 25.5 37 15.90





 Protective vinyl sleeve prevents bowl scratching

Unclogs toilet drain

Safe and easy to use

Saves time and money

 Works where chemicals and plungers fail Stock Description

EP3TA Toilet Cleaning Auger 6mm x 900mm


PackageWidth HeightListTypecmcmPrice €Box3510830.00

5 3 9 1 2 6 9 7 7 5 0 4 0



1 Unclip the probe end from the securing ring.
2 Pull the handle up until the end of the probe is at the end of the angled vinyl sleeve.
3 Place the probe into the toilet bowl as shown below and rotate the handle clockwise whilst pushing down until obstruction is cleared.
4 Slowly remove the probe and tool and flush the toilet. Clean and oil the wire before storage.





1 Litre Biozyme Ecodrain Stock Description Code

ECOD1L 1Litre bottle

Package
TypeList
Price €Loose8.68




A Concentrated Biological Septic Tank & Drain Line Maintenance and Performance Treatment

Restores and maintains biological action to keep all kinds of Septic Tanks functioning properly. Natural and fast elimination of organic solids in pipes and drains.

Excellent perfumed sanitising and cleansing formulation. Non toxic, non corrosive and evironmentally friendly. 1 litre - sufficient for 8 week dosing cycle. Graduated measure on side of container for ease of application. Comprehensive instructions and recommendations included.



- Non-toxic
- Maintains clean drains
- Easy to store
- Maintains clean septic tanks
- Easy to use
- Graduated Dosing Scale on side



EPECO1 1.5 Litre bottle

PackageListTypePrice €Loose8.68

5 | 3 9 1 2 6 9 | 6 4 4 5 9 9 |

Stock Description

ECO1 1.5 Litre bottle
Package List

Type Price €
Loose 8.68

5 | 3 9 1 2 6 9 | 6 3 6 0 1 3 |

- Maintains pleasant odour
- Eco friendly





Drainex Stock Code Description

EPDRAINEX 1 Litre Drain Cleaner

Package
TypeWidth
cmHeight
cmList
Price €Bottle14256.00

5 | 3 9 1 2 6 9 | 6 4 4 5 7 5 |

Alkaline Based Drain Cleaner

1.Add contents directly into plug hole, drain or gully.
 2.Leave for between 20 minutes to 1 hour, depending on the degree of blockage.

3. Flush area with plenty amounts of water after use.




1 Kg Bottle of Caustic Soda Stock Description Code CSODA1 1Kg Package Width Height List Price € Type cm cm 6.96 14 25 **Bottle**

5 3 9 1 2 6 9 1 7 7 7 4 8 8

Add to **cold** water, and stir slowly and gently with a wooden stick until the pearls have fully dissolved. Swirl the liquid constantly to prevent "hot spots" developing. **Note** – The solution will heat up.

When Unblocking Drains:

Pour the solution slowly down the drain. Leave for about 30 minutes and then flush with hot or boiling water. Repeat treatment may be needed for stubborn blockages. In the event that you are not successful in unblocking the drain, it may be that the obstruction is too big and dense to be broken down with Caustic Soda solution. In this case it will be necessary to physically remove the offending matter, for which Excel Industries offer a comprehensive range of Drain Clearing equipment specifically designed for this purpose.





Code
BIOMINI Mini Sachets 12
x 20gr
Package List

- Non-toxic
- Maintains clean drains
- Easy to store
- Maintains clean septic tanksEasy to use
- Graduated Dosing Scale on side Maintains pleasant odour
- Eco friendly

The natural process of biological decomposition has kept our environment in perfect equilibrium since the beginning of time. It's nature's way of recycling and renewing itself through a steady decomposition of organic waste matter and its conversion to simple, essential substances. Conversion of leaves back into fertile soil is one example of this process. This ongoing process is the work of trillions of tiny, naturally occurring, living micro-organisms that use organic waste as their food and energy source. Biozyme harnesses this natural process to meet today's need for cleaning, odour control, and waste processing without the use of potentially harmful chemicals.

Septic Systems can be overloaded by cleaning chemicals, antibiotics, or by intermittent use. Biozyme Sachets restore effective activity in septic systems to reduce bottom solids and surface scum, eliminating the need for excessive pumping. Treatment also reduces odours by degrading malodorous volatile fatty acids released by incomplete digestion. Biozyme technology protects drainage areas by stimulating biological activity to lessen organic liquids and solids in the effluent stream.





500g Bottle of Caustic Soda

Stock Description Code **CSODA** 500g Package Width Height List Type Price € cm cm **Bottle** 14 25 4.80 5 || 0 2 0 0 4 2 || 0 0 3 1 5 4 ||

When Cleaning Concrete, Bricks, Paths and Drives:

Pour the solution onto the stained areas (one at a time) and scrub with a brush. Leave for around 20 minutes and thoroughly wash with clean cold water. Repeat as necessary. (Take care when washing near plants and grass areas, Caustic Soda will damage plants).

Overground Drain Clearing Tools

I DRAIN

Easi Drain Rotary Operated Drain Clearing Kit

The Easi Drain drain cleaning and un-blocking system is a new and novel method of dealing with blockages and obstructions in drains. Easi Drain is designed to be used primarily by residential and light commercial operators. The unique rod system, which incorporates 10mm diameter POM rods, has demonstrated that both the Flail Head and the various tools have been able to pass through two connected 90 degree Elbows in a 100mm (4") drain pipe - a procedure not possible with conventional cane or polypropylene rods!

1 x Side Cutter 1 x Bulb Auger Head 1 x Grease Cutter 1 x "C" Cutter Head 1 x Flail Head with flails 1 x Drill Adaptor 1 x Plunger Head 1 x Plunger Handle

Stock
CodeList
Price €EDRAIN99.50

10 x 1M Rods

This product is supplied in a sturdy 110mm diameter tube, 1.2m tall.

Spare Parts


Smart Rod utilizes a rotating head fitted with nylon flails to break up any encrusted deposits. The flail head is advanced along the drain pipe with sections of flexible POM rods. It is rotated while being advanced with the use of a battery operated drill gun (supplied by the operator). The flexible POM rods that are used to advance the heads allow the system to operate around tight right angle bends and even "S" bends which would not be possible for conventional drain clearing rods. Once connected to a POM rod, it is inserted into the drain pipe and the other end of the rod is "snapped" onto the drill adaptor. As the flail advances, more rods are applied in the same way. The flails have a diameter of 300mm (12") and

are designed to distort as the head is pushed into the drain pipe. Because the drain rod joints are not secured by a screw thread, the drill can be set to run in either the forward or reverse direction without the possibility of the rods separating. This can be an advantage where stubborn blockages are


Features and Benefits

- Suitable for Professional and DIY use
- 10 metres long kit (30 Feet)
- Easily break up any debris which will be push along the pipe until it can be removed
- Easy to connect rods together
- It comes with a flail head, plunger head, bulb auger head, grease cutter, "C"cutter head, side cutter head, drill adaptor and hand grip
- Flexible, yet very strong rods are made from 10mm diameter solid POM
- May be used over and over again


The **Side Cutter** Head which features a 47mm wide toothed "claw" which when rotated will loosen fabric materials or heavy paper blockages which can then be withdrawn or pushed on to the drain cleaning point.



The **Grease Cutter** which features a heavy 33mm wide blade which when rotated is designed to loosen, push through and remove stubborn grease deposits.



The **Bulb Auger** Head which features a 27mm diameter pointed spiral head which when rotated will impale fabric material or heavy paper blockages which can then be withdrawn or pushed on to the drain cleaning point.



The "C"Cutter Head which features a heavy 33mm wide blade which when rotated is designed to loosen and remove more stubborn deposits, after which the Flail or Plunger Head should be more effective.

