



1 Gang 1 Way Switch 10 Amp 250V

Stock Code

LWSW11

Package Width
Type cm
Header 11.0

Height List
cm Price €
15.0 2.24

- Suitable for General Electric Applications
- 250V, 10 Amp, 1 Gang, 1 Way Specification
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included



1 Gang 2 Way Switch 10 Amp 250V

Stock Code

LWSW12

Package Width
Type cm
Header 11.0

Height List
cm Price €
15.0 2.34

- Suitable for General Electric Applications
- 250V, 10 Amp, 1 Gang, 2 Way Specification
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included



1 Gang Intermediate Switch 10 Amp 250V


Stock Code

LWSWINT

Package Width
Type cm
Header 11.0

Height List
cm Price €
15.0 4.40

- Suitable for General Electric Applications
- 250V, 10 Amp, 1 Gang Intermediate Switch
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included



2 Gang 2 Way Switch 10 Amp 250V


Stock Code

LWSW22

Package Width
Type cm
Header 11.0

Height List
cm Price €
15.0 3.24

- Suitable for General Electric Applications
- 250V, 10 Amp, 2 Gang, 2 Way Switch
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included



3 Gang 2 Way Switch 10 Amp 250V


Stock Code

LWSW32

Package Width
Type cm
Header 11.0

Height List
cm Price €
15.0 4.38


- Suitable for General Electric Applications
- 250V, 10 Amp, 3 Gang, 2 Way Switch
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included



4 Gang 2 Way Switch 10 Amp 250V

- Suitable for General Electric Applications
- 250V, 10 Amp, 4 Gang, 2 Way Switch
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Stock Code	Package Type	Width cm	Height cm	List Price €
LWSW42	Header	21.5	17.0	6.50





1 Gang Architrave Switch incl. Box 10 Amp 250V

Stock Code

LWASBOX

Package Type Width
Header 8.5

Height List
cm Price €
15.0 4.08

- Suitable for General Electric Applications
- 250V, 10 Amp, 1 Gang Architrave Switch
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included



20A Switch c/w Neon Light 10 Amp 250V


Stock Code

LWS20L

Package Type Width
Header 11.0

Height List
cm Price €
15.0 5.06

- Suitable for General Electric Applications
- 250V, 10 Amp, Switch with Neon Light
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included



Fan Isolation Switch

- Suitable to use with Domestic Bathroom & Kitchen Fans
- 250V, 10 Amp, 3 Poles
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Stock Code **Package Type** **Width** **Height** **List Price €**
LWFANISO Card 18.3 17.0 5.50



5 Amp Torpedo Switch 6(3)A, 250V, IP20

Stock Code

LW2279

Package Type Width
Header 6.0

Height List
cm Price €
13.0 5.42

- Suitable for General Electric Applications
- 250V, 5 Amp, Ip20 Torpedo Switch
- Complies with BS EN 61058-2-1
- CE Approved
- Fixing Screws Included



10 Amp, 2 Way Ceiling Switch

Stock Code

LWCS4302

Package Type Width
Header 13.5

Height List
cm Price €
14.0 5.76

- Suitable for General Electric Applications
- 10 Amp, 2 Way Ceiling Switch
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included



1 Gang Dimmer Switch 60 - 400W

Stock Code

LWHD12

Package Type Width
Header 13.5

Height List
cm Price €
15.0 16.56

- Suitable for General Electric Applications
- 1 Gang, 60-400W Dimmer Switch
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included





2 Gang Dimmer Switch 60 - 400W

Stock Code

LWHD22

Package Type
Header

Width cm
13.5

Height cm
15.0

List Price €
26.28

- Suitable for General Electric Applications
- 2 Gang, 60-400W Dimmer Switch
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included



45 Amp Rocker Switch

Stock Code

LWSW45A

Package Type
Card

Width cm
18.3

Height cm
17.0

List Price €
13.96

45 Amp Rocker Switch c/w Neon Light

- Suitable for use with Electric Cookers & Hobs
- 250V, 45 Amp, with Neon Indicator
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Stock Code

LWSW45A

Package Type
Card

Width cm
18.3

Height cm
17.0

List Price €
13.96



1 Gang 2 Way IP66 250V 10 Amp Waterproof Switch

Stock Code

LWES302

Package Type
Header

Width cm
11.0

Height cm
15.0

List Price €
18.62

- Suitable for General Electric Applications
- 250V, 10 Amp, 1 Gang, 2 Way Waterproof Switch
- Complies with BS EN 60669-2
- CE Approved
- Fixing Screws Included



2 Gang 2 Way IP66 250V 10 Amp Waterproof Switch

Stock Code

LWES304

Package Type
Header

Width cm
11.0

Height cm
15.0

List Price €
21.50

- Suitable for General Electric Applications
- 250V, 10 Amp, 2 Gang, 2 Way Waterproof Switch
- Complies with BS EN 60669-2
- CE Approved
- Fixing Screws Included



45A Double Pole Pull Cord Ceiling Switch

Stock Code

LWSWPC45A

Package Type
Card

Width cm
18.3

Height cm
17.0

List Price €
13.98

45A Double Pole Pull Cord Ceiling Switch


- Suitable for use with Domestic Electrical Showers
- 250V, 45 Amp, 2 Pole with Neon Indicator
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Package Type
Card

Width cm
18.3

Height cm
17.0

List Price €
13.98



Dual Immersion Heater Switch c/w Neon Light 250V

Stock Code

LWVX5207

Package Type
Header

Width cm
18.3

Height cm
17.0

List Price €
12.00

Dual Immersion Heater Switch c/w Neon Light 250V

- Suitable for use with Dual Element Immersion Heaters
- 250V, 20 Amp, Dual Immersion Heater Switch with Neon
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Package Type
Header

Width cm
18.3

Height cm
17.0

List Price €
12.00





13 Amp Switched Spur Outlet c/w Neon Light 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, Fused Switch with Neon Light
- Complies with BS1363/4
- CE Approved
- Fixing Screws Included

Stock Code	Package Type	Width cm	Height cm	List Price €
LW13SFOL	Header	18.3	17.0	7.26
5 3 9 1 2 6 9 7 5 8 2 4 1				



13 Amp Switched Spur Outlet w/o Neon Light 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, Fused Switch without Neon
- Complies with BS1363/4
- CE Approved
- Fixing Screws Included


Stock Code	Package Type	Width cm	Height cm	List Price €
LW13SFO	Header	11.0	15.0	6.80
5 3 9 1 2 6 9 7 5 8 2 3 4				



13 Amp Un-switched Spur Outlet w/o Neon Light 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, Fused Un-Switched without Neon
- Complies with BS1363/4
- CE Approved
- Fixing Screws Included

Stock Code	Package Type	Width cm	Height cm	List Price €
LW13FO	Header	11.0	15.0	5.96
5 3 9 1 2 6 9 7 5 8 2 1 0				



13 Amp Unswitched Spur Outlet c/w Neon Light 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, Fused Un-Switched with Neon
- Complies with BS1363/4
- CE Approved
- Fixing Screws Included


Stock Code	Package Type	Width cm	Height cm	List Price €
LW13FON	Header	18.3	17.0	6.74
5 3 9 1 2 6 9 7 5 8 2 2 7				



1 Gang Unswitched Socket 13 Amp 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 1 Gang Un-Switched Socket
- Complies with BS1363 SS145
- CE Approved
- Fixing Screws Included


Stock Code	Package Type	Width cm	Height cm	List Price €
LWS13	Header	11.0	15.0	4.04
5 3 9 1 2 6 9 7 8 3 2 9 8				



2 Gang Unswitched Socket 13 Amp 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 2 Gang, Unswitched Socket
- Complies with BS1363 SS145
- CE Approved
- Fixing Screws Included

Stock Code	Package Type	Width cm	Height cm	List Price €
LWS213	Header	21.5	17.0	3.36
5 3 9 1 2 6 9 7 8 3 3 0 4				





1 Gang Switched Socket 13 Amp 250V

Stock Code

LWS13S

Package Type

Header

Width cm

11.0

Height cm

15.0

List Price €

4.40

- Suitable for General Electric Applications
- 250V, 13 Amp, 1 Gang Switched Socket
- Complies with BS1363 SS145
- CE Approved
- Fixing Screws Included



2 Gang Switched Socket 13 Amp 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 2 Gang, Switched Socket
- Complies with BS1363 SS145
- CE Approved
- Fixing Screws Included

Stock Code

LWS213S

Package Type

Header

Width cm

21.5

Height cm

16.0

List Price €

3.86



2 Gang Switched Socket c/w Neon Lights 13 Amp 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 2 Gang, Neon Switched Socket
- Complies with BS1363 SS145
- CE Approved
- Fixing Screws Included

Stock Code

LWS213SL

Package Type

Header

Width cm

21.5

Height cm

16.0

List Price €

7.98



2 Gang Switched Socket with 2 x 3.1 USB Ports 13 Amp 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 2 Gang, USB Switched Socket
- Complies with BS5733 & 1363
- CE Approved
- Fixing Screws Included

Stock Code

LWS213SUSB

Package Type

Header

Width cm


21.5

Height cm

17.0

List Price €

22.62



1 Gang Unswitched Socket 5 Amp 250V

Stock Code

LWS15

Package Type

Header

Width cm

11.0

Height cm

15.0

List Price €

5.84

- Suitable for General Electric Applications
- 250V, 5 Amp, 1 Gang, Unswitched Socket
- Complies with BS546
- CE Approved
- Fixing Screws Included



4 Gang 2 Way Switch 10 Amp 250V

- Suitable for General Electric Applications
- 250V, 10 Amp, 3 Gang, 2 Way Switch
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Package Type

Header

Width cm

21.5

Height cm

17.0

List Price €

25.16



Stock Code

LWES101





1 Gang Extension Socket 13 Amp 250V

Stock Code

LWNSK333

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- 250V, 13 Amp, 1 Gang Extension Socket
- Complies with BS1363/A
- CE Approved



2 Gang Extension Socket 13 Amp 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 2 Gang Extension Socket
- Complies with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Stock Code

LWNSK444



Package Type Width **Height** List
Header cm cm Price €



Dual Volt Shaver Socket Outlet 115 - 230V IP41 20VA

Stock Code

LWW073

Package Type Width
Header cm

Height List
cm Price €

- Suitable for Shaving Machines
- 115-230V, 20VA, IP41 Shaver Socket
- Complies with BSEN61558-2-5
- CE Approved
- Fixing Screws Included



13 Amp Plug Top 250V

Stock Code

LWPLUG

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- 250V, 13 Amp Plug Top
- Complies with BS1363
- CE Approved



13 Amp Rubber Plug Top 250V

Stock Code

LWHP13R

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- 250V, 13 Amp Rubber Plug Top
- Complies with BS1362
- CE Approved



13 Amp 2 Way Adaptor Socket 250V

Stock Code

LWMP815

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- 250V, 13 Amp, 2 Way Adaptor Socket
- Complies with BS1363/3
- CE Approved





13 Amp 3 Way Adaptor Socket 250V

Stock Code

LWMP817

Package Type Width
Header cm

Height List
cm Price €

15.0 6.38

- Suitable for General Electric Applications
- 250V, 13 Amp, 3 Way Adaptor Socket
- Complies with BS1363 SS246
- CE Approved



5 Amp Plug Top to Suit 5 Amp Socket 250V

Stock Code

LWPT105

Package Type Width
Header cm

Height List
cm Price €

12.0 4.76

- Suitable for General Electric Applications
- 250V, 5 Amp Plug Top
- Complies with BS546
- CE Approved



15 Amp 3 Round Pin Plug Top 250V

Stock Code

LWPT875

Package Type Width
Header cm

Height List
cm Price €

13.0 6.84

- Suitable for General Electric Applications
- 250V, 15 Amp Round Pin Plug Top
- Complies with BS546
- CE Approved



Pack of 6, Socket Safety Covers

Stock Code

LWPPSD13

Package Type Width
Header cm

Height List
cm Price €

13.0 4.32

- Suitable for General Electric Applications
- Pack of 6 Socket Safety Covers
- CE Approved



Continental Plug Adaptor (for use in Europe)

Stock Code

LW9168

Package Type Width
Header cm

Height List
cm Price €

13.0 3.68

- Suitable for General Electric Applications
- 2 Pin Continental Plug Adaptor
- For use in Europe
- CE Approved



Continental Plug Adaptor (for use in Ireland)

Stock Code

LW2968

Package Type Width
Header cm

Height List
cm Price €

14.0 7.98

- Suitable for General Electric Applications
- Continental Plug Adaptor
- For use in Ireland
- CE Approved





13 Amp Euro Adaptor Socket 250V Max Load 3.2kW

Stock Code

LW2968F

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- 250V, 13 Amp Euro Adaptor Socket
- Max Load 3.2kW
- CE Approved



Shaver Adaptor Socket 1 Amp 250V

Stock Code

LWSA873

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- 250V, 1 Amp Euro Shaver Adaptor Socket
- Complies with BS1363/3
- CE Approved



24 Hour Plug in Timer 250V 13(2) A Max load 3.2Kw

Stock Code

LWYPT24H

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- 250V, 13(2) A 24 hour Plug in Timer
- Max load 3.2Kw
- Complies with BS5733
- CE Approved



7 Day Plug in Timer 250V 13(2) A Max load 3.2Kw

Stock Code

LWWYPE24H

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- 250V, 13(2) A 7 Day Plug in Timer
- Max load 3.2Kw
- Complies with BS5733
- CE Approved



Plug in RCD Adaptor

Stock Code

LWYPTRCD

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- Plug in RCD Adaptor
- CE Approved



Plug in Auto Nightlight 56 Lumen 250V

Stock Code

LW600F

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- Plug in Auto Nightlight 56 Lumen 250V
- Complies with BS EN 60598
- CE Approved





1 Gang Blank Plate


Stock Code

LW1BP

Package Type **Width cm**
Header 11.0

Height cm **List Price €**
18.0 1.50


- Suitable for General Electric Applications
- 1 Gang Blank Plate
- CE Approved
- Fixing Screws Included



2 Gang Blank Plate

- Suitable for General Electric App.
- 2 Gang Blank Plate
- CE Approved
- Fixing Screws Included


Stock Code **Package Type** **Width cm** **Height cm** **List Price €**
LW2BP Header 22.0 18.0 1.98



1 Gang Surface Mounted Pattress Box

- Suitable for General Electric Applications
- 1 Gang Pattress Box, 25mm & 46mm Deep
- CE Approved

	Stock Code	Package Type	Width cm	Height cm	List Price €
25mm	LWSPB25	Card	11.8	15.5	2.78
46mm	LWSPB45	Card	11.8	15.5	3.92



2 Gang Surface Mounted Pattress Box


- Suitable for General Electric Applications
- 2 Gang Pattress Box 25mm & 46mm Deep
- CE Approved

	Stock Code	Package Type	Width cm	Height cm	List Price €
25mm	LWSSB2	Header	22.0	18.0	2.78
46mm	LW247P	Header	22.0	18.0	4.50

1 Gang Metal Socket Box

- Suitable for General Electric Applications
- 1 Gang Metal Back Box 25mm Deep
- CE Approved


	Stock Code	Package Type	Width cm	Height cm	List Price €
25mm	LWTE55	Card	11.0	14.0	1.22



1 Gang Deep Metal Socket Boxes

- Suitable for General Electric Applications
- 1 Gang Metal Back Box 35mm & 47mm Deep
- CE Approved

	Stock Code	Package Type	Width cm	Height cm	List Price €
35mm	LWTE15	Card	14.0	15.0	1.34
47mm	LWTE18	Card	14.0	15.0	1.76





2 Gang Metal Back Box


- Suitable for General Electric Applications
- 2 Gang Pattress Box 25mm Deep
- CE Approved

	Stock Code		Package Type	Width cm	Height cm	List Price €
25 mm	LWTE65	5 391269 783588	Header	22.0	15.0	1.44



2 Gang Metal Back Box

- Suitable for General Electric Applications
- 2 Gang Pattress Box 35mm & 47mm Deep
- CE Approved



	Stock Code		Package Type	Width cm	Height cm	List Price €
35 mm	LWTE25	5 391269 783656	Header	22.0	15.0	1.62
47 mm	LWTE28	5 391269 783663	Header	22.0	15.0	2.28



1 Gang Dry Lining Box - 35mm Deep

- Suitable for General Electric Applications
- 1 Gang Dry Lining Box, 35mm Deep
- Complies with BS5733
- CE Approved

Stock Code	Package Type	Width cm	Height cm	List Price €
LWCDLB1	Header	16.0	15.0	1.80



2 Gang Dry Lining Box - 35mm Deep

- Suitable for General Electric Applications
- 2 Gang Dry Lining Box 35mm Deep
- Complies with BS5733
- CE Approved

Stock Code	Package Type	Width cm	Height cm	List Price €
LWCDLB2	Header	22.0	15.0	2.18



1 Gang Switch Surface Box

- Suitable for General Electric Applications
- 19mm deep
- Complies with BS5733
- CE Approved

Stock Code	Package Type	Width cm	Height cm	List Price €
LWSSP1	Header	14.0	16.0	1.76





Flat Ceiling Rose 250V 6 Amp

Stock Code

LWCR1735

Package Width

Type cm

Header 11.0

Height

cm

15.0

List

Price €

3.54

- Suitable for General Electric Applications
- 250V, 6 Amp, Flat Ceiling Rose
- Complies with BS67
- CE Approved



Ceiling Rose Kit with 6" Pendant 250V 6 Amp

Stock Code

LWM1735FLT2

Package Width

Type cm

Header 14.0

Height

cm

19.0

List

Price €

4.62

- Suitable for General Electric Applications
- 250V, 6 Amp 6" Pendant Ceiling Kit
- Complies with BS67
- CE Approved



Unswitched Brass Lamp Holder 250V, 2 Amp

Stock Code

LW241E

Package Width

Type cm

Header 9.0

Height

cm

10.0

List

Price €

5.60

- Suitable for General Electric Applications
- 250V, 2 Amp, Unswitched Brass Lamp Holder
- Complies with BSEN61184
- CE Approved



Switched Brass Lamp Holder 250V, 2 Amp

Stock Code

LWLH845

Package Width

Type cm

Header 9.0

Height

cm

11.0

List

Price €

2.42

- Suitable for General Electric Applications
- 250V, 2 Amp, Switched Brass Lamp Holder
- Complies with BSEN61184
- CE Approved



Straight Batton Holder

Stock Code

LWBH1149T2

Package Width

Type cm

Header 14.0

Height

cm

15.0

List

Price €

3.02

- Suitable for General Electric Applications
- Straight Batton Holder
- CE Approved
- Fixing Screws Included



Angle Batton Holder

Stock Code

LWBL552

Package Width

Type cm

Header 16.0

Height

cm

18.0

List

Price €

3.54

- Suitable for General Electric Applications
- Angle Batton Holder
- CE Approved
- Fixing Screws Included





100W Cord Grip Lampholder (60W closed shade)

Stock Code

LWLH606T2

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- 100W Cord Grip Lamp Holder
- 60W closed shade
- CE Approved



Short Skirt for Lamp Holder

Stock Code

LWPPSS1

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- Short Skirt for Lamp Holder
- CE Approved



Clip Light & Plug Top

Stock Code

LWCLPT

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- Clip Light & Plug Top
- CE Approved



Pack of 2, Clear 1 Gang Finger Plates

Stock Code

LW1890C2

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- Pack of 2, Clear 1 Gang Finger Plates
- CE Approved



Pack of 2, White 1 Gang Finger Plates

Stock Code

LW1890W2

Package Type Width
Header cm

Height List
cm Price €

- Suitable for General Electric Applications
- Pack of 2, White 1 Gang Finger Plates
- CE Approved



Pack of 10 Bright Zinc Plated Socket Set Screws

- Suitable for General Electric Applications
- 3.5 x 30, 40, 50, 75mm Bright Zinc Plated Socket Screws
- CE Approved



Size	Stock Code	Package Type	Width cm	Height cm	List Price €
3.5x30mm	LWES3530	Header	9.0	9.0	2.50
3.5x40mm	LWES3540	Header	9.0	9.0	2.50
3.5x50mm	LWES3550	Header	9.0	9.0	2.80
3.5x75mm	LWES3575	Header	9.0	11.0	3.50





33M Roll of Green/Yellow Insulating Tape

- Suitable for General Electric Applications
- 33M Roll of Electrical Tape

Stock Code 5 391269784141
LWIT19RG

Package Type	Width cm	Height cm	List Price €
Header	11.0	15.0	1.98



33M Roll of White Insulating Tape

- Suitable for General Electric Applications
- 33M Roll of Electrical Tape

Stock Code 5 391269784158
LWIT19W

Package Type	Width cm	Height cm	List Price €
Header	11.0	15.0	1.98



33M Roll of Blue Insulating Tape

- Suitable for General Electric Applications
- 33M Roll of Electrical Tape

Stock Code 5 391269784165
LWIT19BU

Package Type	Width cm	Height cm	List Price €
Header	11.0	15.0	1.98



33M Roll of Red Insulating Tape

- Suitable for General Electric Applications
- 33M Roll of Electrical Tape

Stock Code 5 391269784172
LWIT19R

Package Type	Width cm	Height cm	List Price €
Header	11.0	15.0	1.98



33M Roll of Green Insulating Tape

- Suitable for General Electric Applications
- 33M Roll of Electrical Tape

Stock Code 5 391269784189
LWIT19G

Package Type	Width cm	Height cm	List Price €
Header	11.0	15.0	1.98



33M Roll of Yellow Insulating Tape

- Suitable for General Electric Applications
- 33M Roll of Electrical Tape

Stock Code 5 391269784196
LWIT19Y

Package Type	Width cm	Height cm	List Price €
Header	11.0	15.0	1.98



33M Roll of Brown Insulating Tape

- Suitable for General Electric Applications
- 33M Roll of Electrical Tape

Stock Code 5 391269784202
LWIT19BR

Package Type	Width cm	Height cm	List Price €
Header	11.0	15.0	1.98



33M Roll of Black Insulating Tape

- Suitable for General Electric Applications
- 33M Roll of Electrical Tape

Stock Code 5 391269784219
LWIT19BL

Package Type	Width cm	Height cm	List Price €
Header	11.0	15.0	1.98





Pack of 100, Clear Cable Ties

- Suitable for General Electric Applications
- Clear Cable Ties in pack of 100
- CE Approved

Size	Stock Code		Package Type	Width cm	Height cm	List Price €
2.5mm x 100mm	LWCT25100	5 391269 784226	Header	11.0	18.0	1.64
3.6mm x 200mm	LWCT36200	5 391269 784233	Header	11.0	21.0	4.38
4.7mm x 380mm	LWCT47380	5 391269 784240	Header	11.0	28.0	11.76
4.7mm x 450mm	LWCT47450	5 391269 784257	Header	11.0	38.0	13.70
7.6mm x 300mm	LWCT76300	5 391269 784264	Header	11.0	43.0	15.10
7.6mm x 400mm	LWCT76400	5 391269 784271	Header	11.0	43.0	19.14



Pack of 100, Black Cable Ties

- Suitable for General Electric Applications
- Black Cable Ties in pack of 100
- CE Approved

Size	Stock Code		Package Type	Width cm	Height cm	List Price €
2.5mm x 100mm	LWCTB25100	5 391269 784288	Header	11.0	18.0	1.64
2.5mm x 200mm	LWCTB25200	5 391269 784295	Header	11.0	21.0	2.96



Pack of 50, Cable Clips

- Suitable for General Electric Applications
- Pack of 50, White Round Cable Clips
- CE Approved

Size	Stock Code		Package Type	Width cm	Height cm	List Price €
3.5mm	LWC201	5 391269 783984	Header	9.0	11.0	3.30
4.5mm	LWC202	5 391269 783991	Header	9.0	11.0	3.58
5mm	LWC203	5 391269 784004	Header	9.0	11.0	3.72
6mm	LWC204	5 391269 784011	Header	9.0	11.0	3.76
7mm	LWC205	5 391269 784028	Header	9.0	11.0	3.80
9mm	LWC206	5 391269 784035	Header	9.0	14.0	5.62
11mm	LWC207	5 391269 784042	Header	9.0	14.0	5.54



Pack of 10, Cable Glands IP68

- Suitable for General Electric Applications
- Cable Glands Ip68 (pack of 10)
- CE Approved

Size	Stock Code		Package Type	Width cm	Height cm	List Price €
20mm	LWPG11P	5 391269 784301	Header	16.0	14.0	11.66



Pack of 2, 40-80W Fluores Starters 4 - 65W

Stock Code

LWFSU465

Package Type Width cm
Header 9.0

Height cm List Price €
10.0 2.50

- Suitable for General Electric Applications
- 40-80W Fluores Starters 4 - 65W
- Pack of 2
- CE Approved





2 & 3 Pin Flex Connector 250V 5 Amp

- Suitable for General Electric Applications
- 240V 5 Amp Flex Connector
- CE Approved



Type	Stock Code	Package Type	Width cm	Height cm	List Price €
2 Pin	LW9418W5	Header	9	15.0	6.72
3 Pin	LWC856	Header	9	15.0	6.72



Strip Connector Block 12 Terminal

- Suitable for General Electric Applications
- Strip Connector Block 12 Terminal
- CE Approved



Size	Stock Code	Package Type	Width cm	Height cm	List Price €
5 Amp	LWFA12	Header	9.0	15.0	1.64
15 Amp	LWC502	Header	9.0	15.0	2.24
30 Amp	LW15A12	Header	9.0	15.0	3.54



45 Amp Cooker Connection Unit

Stock Code

LW30A12


Package Type
Header

Width cm
14.0

Height cm
15.0

List Price €
4.70

- Suitable for General Electric Applications
- 45 Amp Cooker Connection Unit
- CE Approved
- Fixing Screws Included



2 & 3 Pin Flex Connector 250V 5 Amp

- Suitable for General Electric Applications
- 240V 5 Amp Flex Connector
- CE Approved
- Complies with BS6220
- Fixing Screws Included



Size	Stock Code	Package Type	Width cm	Height cm	List Price €
5 Amp	LWCO45	Header	14.0	15.0	2.66
20 Amp	LWJB204	Header	14.0	15.0	3.44
30 Amp	LWJB304	Header	14.0	15.0	4.02



Coffin Box

Stock Code

LWLBCCONN

Package Type
Header

Width cm
11.0

Height cm
15.0

List Price €
1.94

- Suitable for General Electric Applications
- 400V, IP54, 10 Amp Coffin Box
- CE Approved
- 90mm x 44mm x 45mm



OBO Box

Stock Code

LWLBSCONN

Package Type
Header

Width cm
14.0

Height cm
15.0

List Price €
2.12

- Suitable for General Electric Applications
- 400V, IP54, 10 Amp OBO Box
- CE Approved
- 75mm x 75mm x 45mm





- Round Junction Box**
- Suitable for General Electric Applications
 - Round Junction Box - 35mm Deep IP55 & 40mm Deep IP44
 - CE Approved



Size	Stock Code	Package Type	Width cm	Height cm	List Price €
65mm (35mm Deep, IP55)	LWLG1 5	Header	14.0	15.0	1.86
80mm (40mm Deep, IP44)	LWLG2 5	Header	14.0	15.0	2.22



- Square Junction Box**
- Suitable for General Electric Applications
 - Square Junction Box - 40mm Deep IP65 & 50mm Deep IP55
 - CE Approved



Size	Stock Code	Package Type	Width cm	Height cm	List Price €
80mm (40mm Deep, IP65)	LWLG3 5	Header	14.0	15.0	2.48
100mm (50mm Deep, IP55)	LWLG4 5	Header	14.0	15.0	4.50




- Pack of 4 Fuses (1, 3, 5 & 13 Amp)**
- Suitable for General Electric Applications
 - CE Approved





Size	Stock Code	Package Type	Width cm	Height cm	List Price €
1 Amp	LWSAF01 5	Header	9.0	15.0	2.50
3 Amp	LWBS03A 5	Header	9.0	15.0	2.50
5 Amp	LWBS05A 5	Header	9.0	15.0	2.50
13 Amp	LWBS13A 5	Header	9.0	15.0	2.50

Cartridge Type Ceramic Fuse




Stock Code	Description	Bar Code	Package Type	Width cm	Height cm	List Price €
LW6ADZ	Pack 2, 6 Amp DZ	5 391269 751013	Card	9	12	3.50
LW10ADZ	Pack 2, 10 Amp DZ	5 391269 751020	Card	9	12	3.50
LW16ADZ	Pack 2, 16 Amp DZ	5 391269 751037	Card	9	12	3.50
LW20ADZ	Pack 2, 20 Amp DZ	5 391269 751044	Card	9	12	3.50
LW25ADZ	Pack 2, 25 Amp DZ	5 391269 751051	Card	9	12	3.50
LW35ADZ	Pack 2, 35 Amp DZ	5 391269 751068	Card	9	12	4.80
LW50ADZ	Pack 2, 50 Amp DZ	5 391269 751075	Card	9	12	4.80
LW63ADZ	Single, 63 Amp DZ	5 391269 751082	Card	9	12	3.50
LW6ANDZ	Pack 2, 6 Amp NDZ	5 391269 751099	Card	9	12	3.90
LW10ANDZ	Pack 2, 10 Amp NDZ	5 391269 751105	Card	9	12	3.90
LW16ANDZ	Pack 2, 16 Amp NDZ	5 391269 751112	Card	9	12	3.90
LW20ANDZ	Pack 2, 20 Amp NDZ	5 391269 751129	Card	9	12	3.90
LW25ANDZ	Pack 2, 25 Amp NDZ	5 391269 751136	Card	9	12	3.90
LW35ANDZ	Pack 2, 35 Amp NDZ	5 391269 751143	Card	9	12	4.70
LW10ANZ	Pack 2, 10 Amp NZ	5 391269 751150	Card	9	12	3.90
LW35ANZ	Pack 2, 35 Amp NZ	5 391269 751167	Card	9	12	3.90
LW50ANZ	Pack 2, 50 Amp NZ	5 391269 751174	Card	9	12	4.50
LW63ANZ	Single, 63 Amp NZ	5 391269 751181	Card	9	12	3.50





5M Length of White 2 Core Flex

- Suitable for General Electric Applications
- 5M Length of White 2 Core Flex
- CE Approved




Size	Stock Code		Package Type	Width cm	Height cm	List Price €
0.5mm ² 3A	2CR5	5 391269 687541	Header	21.5	24.0	POA
0.75mm ² 6A	2CR75	5 391269 687572	Header	21.5	24.0	POA



5M Length of White 3 Core Flex

- Suitable for General Electric Applications
- 5M Length of White 3 Core Flex
- CE Approved



Size	Stock Code		Package Type	Width cm	Height cm	List Price €
0.5mm ² 3A	3CR5	5 391269 687558	Header	21.5	24.0	POA
0.75mm ² 6A	3CR75	5 391269 687589	Header	21.5	24.0	POA
1.5mm ² 16A	3CR15	5 391269 687602	Header	21.5	24.0	POA
2.5mm ² 25A	3CR25	5 391269 687633	Header	21.5	24.0	POA



5M Length of Black 3 Core Rubber Flex

- Suitable for General Electric Applications
- 5M Length of Black 3 Core Flex
- CE Approved




Size	Stock Code		Package Type	Width cm	Height cm	List Price €
1.5mm ² 16A	3CRB15	5 391269 687695	Header	21.5	24.0	POA
2.5mm ² 25A	3CRB25	5 391269 687701	Header	21.5	24.0	POA



5M Length of White 4 Core Flex

- Suitable for General Electric Applications
- 5M Length of White 4 Core Flex
- CE Approved



Size	Stock Code		Package Type	Width cm	Height cm	List Price €
0.5mm ² 3A	4CR5	5 391269 687565	Header	21.5	24.0	POA
0.75mm ² 6A	4CR75	5 391269 687596	Header	21.5	24.0	POA
1.5mm ² 16A	4CR15	5 391269 687619	Header	21.5	24.0	POA
2.5mm ² 20A	4CR25	5 391269 687640	Header	21.5	24.0	POA



5M Length of White 3 Core Heat Resistant Flex

- Suitable for General Electric Applications
- 5M Length of White 3 Core Heat Resistant Flex
- CE Approved



Size	Stock Code		Package Type	Width cm	Height cm	List Price €
1.5mm ² 16A	3CR15HR	5 391269 687626	Header	21.5	24.0	POA
2.5mm ² 25A	3CR25HR	5 391269 687657	Header	21.5	24.0	POA



5M Length of White 4 Core Heat Resistant Flex

- Suitable for General Electric Applications
- 5M Length of White 4 Core Heat Resistant Flex
- CE Approved



Size	Stock Code		Package Type	Width cm	Height cm	List Price €
2.5mm ² 25A	4CR25HR	5 391269 687664	Header	21.5	24.0	POA



2M 13 Amp 4 Gang Switched Extension Lead 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 4 Gang Switched Extension Lead
- CE Approved

Stock Code	Package Type	Width cm	Height cm	List Price €
LWEL4G2SW	Header	22.0	34.0	19.40



2M 13 Amp 4 Gang Surge Protected Extension Lead 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 4 Gang Surge Protected Extension Lead, CE Approved
- Complies with BS1363 & BSEN50525

Stock Code	Package Type	Width cm	Height cm	List Price €
LWSP4G2	Header	22.0	34.0	13.68



3M 13 Amp 2 Gang Extension Lead 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 2 Gang Extension Lead
- CE Approved

Stock Code	Package Type	Width cm	Height cm	List Price €
LWEL2G3	Header	22.0	34.0	11.54



2M 13 Amp 4 Gang Extension Lead 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 4 Gang Extension Lead
- CE Approved

Stock Code	Package Type	Width cm	Height cm	List Price €
LWEL4G2	Header	22.0	34.0	9.82



5M 13 Amp 4 Gang Extension Lead 250V with Neon Indicator

- Suitable for General Electric Applications
- 250V, 13 Amp, 4 Gang Neon Extension Lead
- CE Approved

Stock Code	Package Type	Width cm	Height cm	List Price €
LWEL4G5	Header	22.0	34.0	15.66

