



MATERIAL SAFETY DATA SHEET

SEALTITE THREAD SEALANT



Revision date: 09/01/2020

Revision: 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name VIKY SEAL 90 RED TYPE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive. Sealant.

1.3. Details of the supplier of the safety data sheet

Supplier BIFFI RAG ANTONIO DI BIFFI CARLO
Via Cavour 78
Novate Milanese
20026 (MI)
Italia
Tel: +39 02 3545410
Fax +39 02 3548230

1.4. Emergency telephone number

Emergency telephone Italia +39 02 66101029 (Centro Antiveleni Niguarda di Milano)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Supplemental label information EUH210 Safety data sheet available on request.

2.3. Other hazards

None under normal conditions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



MATERIAL SAFETY DATA SHEET

SEALTITE THREAD SEALANT

**CUMENE HYDROPEROXIDE**

<1%

CAS number: 80-15-9

EC number: 201-254-7

Classification

Org. Perox. E - H242

Acute Tox. 4 - H302

Acute Tox. 4 - H312

Acute Tox. 3 - H331

Skin Corr. 1B - H314

Eye Dam. 1 - H318

STOT SE 3 - H335

STOT RE 2 - H373

Aquatic Chronic 2 - H411

Classification (67/548/EEC or 1999/45/EC)

O;R7 T;R23 C;R34 Xn;R21/22,R48/20/22 N;R51/53

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Inhalation	Move the exposed person to fresh air. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Never give anything by mouth to an unconscious person. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water. Remove contaminated clothing. If symptoms develop, obtain medical attention
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations. Treat symptomatically.
-----------------------------	---

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media	Foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified organic compounds. Burning produces irritating, toxic and obnoxious fumes.
--------------------------------------	--

5.3. Advice for firefighters

Special protective equipment for firefighters	Wear self contained breathing apparatus and protective clothing.
--	--

SECTION 6: Accidental release measures



MATERIAL SAFETY DATA SHEET

SEALTITE THREAD SEALANT



6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for disposal.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Never return unused material to storage receptacle.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Normal (mechanical) room ventilation should be adequate for small volumes. For higher volume activities, or if needed for worker comfort, local mechanical exhaust should be provided.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield. Personal eye protection should conform to EN 166

Hand protection

Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should not be worn. Gloves should conform to EN 374. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Uniforms, coveralls, or a lab coat should be worn

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Use of good industrial hygiene practices is required.

Respiratory protection

Not normally required.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid.

**MATERIAL SAFETY DATA SHEET****SEALTITE THREAD SEALANT**

Colour	Red.
Odour	Slight pungent.
Odour threshold	Not determined.
pH	Not relevant.
Melting point	Not available.
Initial boiling point and range	Not applicable.
Flash point	>100°C
Evaporation rate	Not determined.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	«59» «184» 1.1
Solubility(ies)	Insoluble in water. Soluble in the following materials: Organic solvents.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	≈50000 mPa s @ 25°C
Explosive properties	Not determined.
Oxidising properties	Not applicable.
9.2. Other information	
Other information	Not relevant.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity The following materials may react with the product: Strong oxidising agents.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified organic compounds.

SECTION 11: Toxicological information

**MATERIAL SAFETY DATA SHEET****SEALTITE THREAD SEALANT****11.1. Information on toxicological effects**

Toxicological effects The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale.

Acute toxicity - inhalation**Aspiration hazard**

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation

Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.

Ingestion

No harmful effects expected from quantities likely to be ingested by accident.

Skin contact

Repeated exposure may cause skin dryness or cracking.

Eye contact

May cause temporary eye irritation.

Toxicological information on ingredients.**CUMENE HYDROPEROXIDE****Acute toxicity - oral**

**Acute toxicity oral (LD₅₀
mg/kg)** 382.0

Species Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

ATE dermal (mg/kg) 1,100.0

Acute toxicity - inhalation

**ATE inhalation (vapours
mg/l)** 3.0

Skin corrosion/irritation

Animal data Highly irritating.

Serious eye damage/irritation

**Serious eye
damage/irritation** Irritating to eyes.

Skin sensitisation

Skin sensitisation Not sensitising.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity No data available.

Ecological information on ingredients.**CUMENE HYDROPEROXIDE**

Acute toxicity - fish LC₅₀, 96 hour: 3.9 mg/l, Onchorhynchus mykiss (Rainbow trout)



MATERIAL SAFETY DATA SHEET

SEALTITE THREAD SEALANT



12.2. Persistence and degradability

Persistence and degradability No data available.

Ecological information on ingredients.

CUMENE HYDROPEROXIDE

Biodegradation The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste disposal should be in accordance with existing Community, National and local regulations Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Waste class 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

**MATERIAL SAFETY DATA SHEET****SEALTITE THREAD SEALANT**

Not relevant.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations.
Water hazard classification	WGK 1

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	14/01/2016
Revision	3
Supersedes date	11/09/2014
Risk phrases in full	Not classified. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R23 Toxic by inhalation. R34 Causes burns. R37 Irritating to respiratory system. R48/20/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R7 May cause fire.



MATERIAL SAFETY DATA SHEET

SEALTITE THREAD SEALANT



Hazard statements in full

- H242 Heating may cause a fire.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.