

Page 1 of 6

MATERIAL SAFETY DATA SHEET

SMOKE MATCHES

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

PRODUCT NAME : <u>SMOKE MATCHES</u>

PH00925,PH00950, PH00975

Address/Phone No.: EXCEL INDUSTRIES, COOLMINE INDUSTRIAL ESTATE,

CLONSILLA ROAD DUBLIN 15.

+353 (0)1 8118701

Emergency Phone No. : As Above

2. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT DESCRIPTION

Matches for the marking of air flows, or ignition of fuses.

Product Code(s): PH00925, PH00950, PH00975.

HAZARDOUS INGREDIENT(S) CAS No. %(w/w) Symbol R Phases
Potassium Chlorate 003811-04-9 20 O,Xn R9 R20/22
Potassium Nitrate

Manganese Dioxide 001313-13-9 30 Xn R20/22 Smoking Agent Xn R10-R22

3. HAZARDS IDENTIFICATION

FLAMMABLE SOLID

Ignites readily, burns without flaming, giving dense white smoke. The combustion of large quantities of the product gives rise to significant quantities of smoke with flames.

Harmful if swallowed.

4. FIRST AID MEASURES

Inhalation of : In severe cases, remove patient from exposure combustion Ifrecovery is not rapid or complete seek medical attention.

product

The following apply to the unburned product.

Skin contact: Wash skin with water, followed by soap and water. If irritation

arises seek medical attention.

4. FIRST AID MEASURES - CONT.

Excel Industries, Porters Road, Coolmine Industrial Estate, Clonsilla Road, Dublin 15, Ireland Telephone: Fax: Email:

Web:

++353 (0)1 8118701 ++353 (0)1 8118785 sales@excel-industries.com





Page 2 of 6

MATERIAL SAFETY DATA SHEET

SMOKE MATCHES

Ingestion: If swallowed, rinse mouth with water. Seek medical attention and show this Data Sheet, if possible.

5. FIRE-FIGHTING MEASURES

Ignites readily.

Oxidising agents will assist combustion.

Keep fire exposed containers cool by spraying with water.

Extinguishing Media : use large volumes of water as a spray or

fog, avoid use of water jet. Contain run-off water with for example temporary earth

barriers.

Fire Fighting protective Equipment : A self contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

No naked lights. No smoking.

Ensure suitable personal protection during removal of spillages of large amounts of product. This means wearing eye protection and chemically resistant gloves. Transfer to a container for disposal. Due to the potassium chlorate content, product must be prevented from entering surface water or drains.

When spillages into watercourses occur, the National Rivers Authority must be alerted.

7. HANDLING AND STORAGE

7.1 HANDLING

Read the instructions before use.

Do not breath smoke. Avoid contact with skin. Wash hands before meals and after use. When using do not eat, drink or smoke.

7.2 STORAGE

Keep away from food, drink and animal feeding stuffs, Keep out of reach of children, Keep in original container, tightly closed in a safe place, Keep away from heat and sources of ignition.

Store in a dry place.

Storage Life : Physically and chemically stable for at least 2 years when

stored in the original unopened sales container at

ambient temperatures.

Excel Industries, Porters Road, Coolmine Industrial Estate, Clonsilla Road, Dublin 15, Ireland Telephone: Fax: Email:

Web:

++353 (0)1 8118701 ++353 (0)1 8118785 sales@excel-industries.com





Page 3 of 6

MATERIAL SAFETY DATA SHEET



SMOKE MATCHES

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

When using this product refer to the instructions for details. Should it be necessary to enter a heavily smoke laden area, protective respiratory equipment and eye protection must be used (see HSE Guidance Booklet (HS) G 53: "Respiratory Protective Equipment - a practical guide for users").

Occupational Exposure Limits

| | LTEL | 8hr TWA | STEL | |
|-------------------------|------|-------------------|------|-------------------|
| HAZARDOUS INGREDIENT(S) | ppm | mg/m ³ | ppm | mg/m ³ |
| Smoking Agent | - | 10 | - | 20 |

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

The match comprises of the main burning composition dipped onto the match splint, and then tipped with a red striker tip to facilitate ignition.

Odour : Odourless
pH : Not applicable
Boiling point : Not applicable
Melting point : Not applicable
Flash point : Does not flash
Autoflammability : >100°C

Explosive properties : Not applicable

Oxidising properties : Oxidising agent will assist combustion.

Vapour pressure : Not available Relative density : Not available Solubility(water) : Soluble

Partition coefficient : Not applicable

10. STABILITY AND REACTIVITY

Stability : Stable under normal conditions.

Hazardous reactions : Ignites readily.

Hazardous decomposition product(s): Combustion or thermal

Excel Industries, Porters Road, Coolmine Industrial Estate, Clonsilla Road, Dublin 15, Ireland Telephone: Fax: Email:

Web:

++353 (0)1 8118701 ++353 (0)1 8118785 sales@excel-industries.com





Page 4 of 6

MATERIAL SAFETY DATA SHEET





11. TOXICOLOGICAL INFORMATION

This health hazard assessment is based on information available on similar products.

Inhalation : Possible irritation to respiratory tract.

Skin contact : Possible risk of skin irritation.

Eye Contact : Combustion product may cause eye irritation.

Ingestion : Harmful if swallowed.

Lowest LD₅₀ of chemical constituents of composition 283 mg/kg (Oral Rat).

12. ECOLOGICAL INFORMATION

Toxicity

This ecological assessment is calculated from data available on the components of the formulation.

Harmful to aquatic organisms. Un-burned composition is non-selectively toxic to plants. Not readily biodegradable.

13. DISPOSAL CONSIDERATIONS

Applies to unburned product.

Do not contaminate ponds, waterways or ditches with chemical. Dispose of product according to the requirements of the "Environmental Protection Act 1990". Empty containers should not be used for other purposes.

Disposal should be in accordance with local, state or national legislation.

14. TRANSPORT INFORMATION

UN No. : 1944 UN Pack Group : III

AIR

ICAO/IATA Class.

- primary : 4.1 Flammable Solid

SEA

IMDG Class.

- primary : 4.1 Flammable Solid

Marine Pollutant :

Proper Shipping Name: Matches, Safety

Excel Industries, Porters Road, Coolmine Industrial Estate, Clonsilla Road, Dublin 15, Ireland Telephone: Fax: Email:

Web:

++353 (0)1 8118701 ++353 (0)1 8118785 sales@excel-industries.com





DIAL CAPETY DATA CHEET

Page 5 of 6

MATERIAL SAFETY DATA SHEET



SMOKE MATCHES

ROAD/RAIL

ADR/RID Class. : 4.1

15. REGULATORY INFORMATION

Users should ensure that they comply with any relevant local, state or national legislation.

EU Classification : Not subject to the CHIP regulations

However ARCTIC PRODUCTS LTD does give the following safety advice

S2 : Keep out of reach of children

S13 : Keep away from food, drink and animal feeding stuffs.S16 : Keep away from sources of ignition- No smoking.

S28 : After contact with skin, wash immediately with plenty of water.

UK Regulatory : Health and Safety at Work act 1974

Information The Control of Substances Hazardous to Health

16. OTHER INFORMATION

This data sheet was prepared in accordance with Directive 91/155/EEC.

Excel Industries, Porters Road, Coolmine Industrial Estate, Clonsilla Road, Dublin 15, Ireland Telephone: Fax: Email:

Web:

++353 (0)1 8118701 ++353 (0)1 8118785 sales@excel-industries.com www.easiplumb.ie





Page 6 of 6

MATERIAL SAFETY DATA SHEET

SMOKE MATCHES

The information on this sheet is not a specification. It does not guarantee specific properties. The information is intended to provide general guidance to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions and recommendations are not followed.

Telephone: Fax: Email: Web:

++353 (0)1 8118701 ++353 (0)1 8118785 sales@excel-industries.com www.easiplumb.ie

